

- Measuring movement-exacerbated pain in cognitively impaired frail elders. *The Clinical Journal of Pain*, 2000, 16(1): 54–63. [doi: [10.1097/00002508-200003000-00009](https://doi.org/10.1097/00002508-200003000-00009)]
- 12 Prkachin KM, Schultz I, Berkowitz J, *et al.* Assessing pain behaviour of low-back pain patients in real time: Concurrent validity and examiner sensitivity. *Behaviour Research and Therapy*, 2002, 40(5): 595–607. [doi: [10.1016/S0005-7967\(01\)00075-4](https://doi.org/10.1016/S0005-7967(01)00075-4)]
- 13 Kunz M, Gruber A, Lautenbacher S. Sex differences in facial encoding of pain. *The Journal of Pain*, 2006, 7(12): 915–928. [doi: [10.1016/j.jpain.2006.04.012](https://doi.org/10.1016/j.jpain.2006.04.012)]
- 14 Kunz M, Prkachin K, Lautenbacher S. Smiling in pain: Explorations of its social motives. *Pain Research and Treatment*, 2013, 2013: 128093.
- 15 Keefe FJ, Lefebvre JC, Egert JR, *et al.* The relationship of gender to pain, pain behavior, and disability in osteoarthritis patients: The role of catastrophizing. *Pain*, 2000, 87(3): 325–334. [doi: [10.1016/S0304-3959\(00\)00296-7](https://doi.org/10.1016/S0304-3959(00)00296-7)]
- 16 Irani R, Nasrollahi K, Simon MO, *et al.* Spatiotemporal analysis of RGB-D-T facial images for multimodal pain level recognition. *Proceedings of 2015 IEEE Conference on Computer Vision and Pattern Recognition Workshops*. Boston, MA, USA. 2015. 88–95.
- 17 Chen JK, Chi ZR, Fu H. A new framework with multiple tasks for detecting and locating pain events in video. *Computer Vision and Image Understanding*, 2017, 155: 113–123. [doi: [10.1016/j.cviu.2016.11.003](https://doi.org/10.1016/j.cviu.2016.11.003)]
- 18 Bellantonio M, Haque MA, Rodriguez P, *et al.* Spatio-temporal pain recognition in CNN-based super-resolved facial images. *Proceedings of the 3rd International Workshop Video Analytics. Face and Facial Expression Recognition and Audience Measurement*. Cancun, Mexico. 2016. 151–162.
- 19 Haque MA, Irani R, Nasrollahi K, *et al.* Facial video-based detection of physical fatigue for maximal muscle activity. *IET Computer Vision*, 2016, 10(4): 323–329. [doi: [10.1049/iet-cvi.2015.0215](https://doi.org/10.1049/iet-cvi.2015.0215)]
- 20 Haque MA, Irani R, Nasrollahi K, *et al.* Heartbeat rate measurement from facial video. *IEEE Intelligent Systems*, 2016, 31(3): 40–48. [doi: [10.1109/MIS.2016.20](https://doi.org/10.1109/MIS.2016.20)]
- 21 Haque MA, Nasrollahi K, Moeslund TB. Real-time acquisition of high quality face sequences from an active pan-tilt-zoom camera. *Proceedings of the 10th IEEE International Conference on Advanced Video and Signal Based Surveillance*. Krakow, Poland. 2013. 443–448.
- 22 Haque MA, Nasrollahi K, Moeslund TB. Constructing facial expression log from video sequences using face quality assessment. *Proceedings of 2014 International Conference on Computer Vision Theory and Applications (VISAPP)*. Lisbon, Portugal. 2014. 517–525.
- 23 Haque MA, Nasrollahi K, Moeslund TB. Quality-aware estimation of facial landmarks in video sequences. *Proceedings of 2015 IEEE Winter Conference on Applications of Computer Vision*. Waikoloa, HI, USA. 2015. 678–685.
- 24 Haque MA, Bautista RB, Noroozi F, *et al.* Deep multimodal pain recognition: A database and comparison of spatio-temporal visual modalities. *Proceedings of the 13th IEEE International Conference on Automatic Face & Gesture Recognition (FG 2018)*. Xi'an, China. 2018. 250–257.
- 25 Werner P, Al-Hamadi A, Limbrecht-Ecklundt K, *et al.* Head movements and postures as pain behavior. *PLoS One*, 2018, 13(2): e0192767. [doi: [10.1371/journal.pone.0192767](https://doi.org/10.1371/journal.pone.0192767)]
- 26 Zamzmi G, Pai CY, Goldgof D, *et al.* Automated pain assessment in neonates. *Proceedings of the 20th Scandinavian Conference on Image Analysis*. Tromsø, Norway. 2017. 350–361.
- 27 Zamzmi G, Pai CY, Goldgof D, *et al.* An approach for automated multimodal analysis of infants' pain. *Proceedings of the 23rd International Conference on Pattern Recognition (ICPR)*. Cancun, Mexico. 2016. 4148–4153.
- 28 Mellor DJ, Stafford KJ. Physiological and behavioural assessment of pain in ruminants: Principles and caveats. *Alternatives to Laboratory Animals*, 2004, 32(S1): 267–271.
- 29 Aung MSH, Kaltwang S, Romera-Paredes B, *et al.* The automatic detection of chronic pain-related expression: Requirements, challenges and the multimodal EmoPain dataset. *IEEE Transactions on Affective Computing*, 2016, 7(4): 435–451. [doi: [10.1109/TAFFC.2015.2462830](https://doi.org/10.1109/TAFFC.2015.2462830)]
- 30 Vempada RR, Kumar BSA, Rao KS. Characterization of infant cries using spectral and prosodic features. *Proceedings of 2012 National Conference on Communications (NCC)*. Kharagpur, India. 2012. 1–5.
- 31 Pai CY. *Automatic Pain Assessment from Infants' Crying Sounds*[Master's thesis]. Tampa Bay: University of South Florida, 2016.
- 32 Kächele M, Thiam P, Amirian M, *et al.* Multimodal data fusion for person-independent, continuous estimation of pain intensity. *Proceedings of the 16th International Conference on Engineering Applications of Neural Networks*. Rhodes, Greece. 2015. 275–285.
- 33 Gruss S, Geiger M, Werner P, *et al.* Multi-modal signals for analyzing pain responses to thermal and electrical stimuli. *Journal of Visualized Experiments*, 2019, (146): e59057.
- 34 Hawker GA, Mian S, Kendzerska T, *et al.* Measures of adult pain: Visual analog scale for pain (VAS Pain),

- numeric rating scale for pain (NRS Pain), McGill pain questionnaire (MPQ), short - form McGill pain questionnaire (SF - MPQ), chronic pain grade scale (CPGS), short form - 36 bodily pain scale (SF - 36 BPS), and measure of intermittent and constant osteoarthritis pain (ICOAP). *Arthritis Care & Research*, 2011, 63(S11): S240-S252.
- 35 Taddio A, Hogan ME, Moyer P, *et al.* Evaluation of the reliability, validity and practicality of 3 measures of acute pain in infants undergoing immunization injections. *Vaccine*, 2011, 29(7): 1390-1394. [doi: [10.1016/j.vaccine.2010.12.051](https://doi.org/10.1016/j.vaccine.2010.12.051)]
- 36 Zamzmi G, Kasturi R, Goldgof D, *et al.* A review of automated pain assessment in infants: Features, classification tasks, and databases. *IEEE Reviews in Biomedical Engineering*, 2018, 11: 77-96. [doi: [10.1109/RBME.2017.2777907](https://doi.org/10.1109/RBME.2017.2777907)]
- 37 Ekman R, Rosenberg EL. *What the Face Reveals: Basic and Applied Studies of Spontaneous Expression Using the Facial Action Coding System (FACS)*. Oxford: Oxford University Press, 1997.
- 38 Prkachin KM, Solomon PE. The structure, reliability and validity of pain expression: Evidence from patients with shoulder pain. *Pain*, 2008, 139(2): 267-274. [doi: [10.1016/j.pain.2008.04.010](https://doi.org/10.1016/j.pain.2008.04.010)]
- 39 Grunau RVE, Craig KD. Pain expression in neonates: Facial action and cry. *Pain*, 1987, 28(3): 395-410. [doi: [10.1016/0304-3959\(87\)90073-X](https://doi.org/10.1016/0304-3959(87)90073-X)]
- 40 Ruder S. An overview of multi-task learning in deep neural networks. arXiv: 1706.05098, 2017.
- 41 Ghimire D, Lee J. Geometric feature-based facial expression recognition in image sequences using multi-class adaboost and support vector machines. *Sensors*, 2013, 13(6): 7714-7734. [doi: [10.3390/s130607714](https://doi.org/10.3390/s130607714)]
- 42 Li XL, Ruan QQ, Ming Y. 3D facial expression recognition based on basic geometric features. *Proceedings of the IEEE 10th International Conference on Signal Processing*. Beijing, China. 1366-1369.
- 43 Chao WL, Ding JJ, Liu JZ. Facial expression recognition based on improved local binary pattern and class-regularized locality preserving projection. *Signal Processing*, 2015, 117: 1-10. [doi: [10.1016/j.sigpro.2015.04.007](https://doi.org/10.1016/j.sigpro.2015.04.007)]
- 44 Huang XH, Wang SJ, Zhao GY, *et al.* Facial micro-expression recognition using spatiotemporal local binary pattern with integral projection. *Proceedings of 2015 IEEE International Conference on Computer Vision Workshop*. Santiago, Chile. 2015: 1-9.
- 45 Shyam R, Singh YN. Face recognition using augmented local binary pattern and Bray Curtis dissimilarity metric. *Proceedings of the 2nd International Conference on Signal Processing and Integrated Networks (SPIN)*. Noida, India. 2015. 779-784.
- 46 Nanni L, Brahnam S, Lumini A. A local approach based on a Local Binary Patterns variant texture descriptor for classifying pain states. *Expert Systems with Applications*, 2010, 37(12): 7888-7894. [doi: [10.1016/j.eswa.2010.04.048](https://doi.org/10.1016/j.eswa.2010.04.048)]
- 47 Li C, Zinger S, Ten WETA, *et al.* Video-based discomfort detection for infants using a constrained local model. *Proceedings of 2016 International Conference on Systems, Signals and Image Processing (IWSSIP)*. Bratislava, Slovakia. 2016. 1-4.
- 48 Chen JX, Liu XM, Tu P, *et al.* Person-specific expression recognition with transfer learning. *Proceedings of the 19th IEEE International Conference on Image Processing*. Orlando, FL, USA. 2012. 2621-2624.
- 49 Ashraf AB, Lucey S, Cohn JF, *et al.* The painful face-pain expression recognition using active appearance models. *Image and Vision Computing*, 2009, 27(12): 1788-1796. [doi: [10.1016/j.imavis.2009.05.007](https://doi.org/10.1016/j.imavis.2009.05.007)]
- 50 Edwards GJ, Cootes TF, Taylor CJ. Face recognition using active appearance models. *Proceedings of the 5th European Conference on Computer Vision*. Germany. 1998. 581-595.
- 51 Rupenga M, Vadapalli HB. Automatic spontaneous pain recognition using supervised classification learning algorithms. *Proceedings of 2016 Pattern Recognition Association of South Africa and Robotics and Mechatronics International Conference (PRASA-RobMech)*. Stellenbosch, South Africa. 2016. 1-6.
- 52 Kaltwang S, Rudovic O, Pantic M. Continuous pain intensity estimation from facial expressions. *Proceedings of the 8th International Symposium on Advances in Visual Computing*. Crete, Greece. 2012. 368-377.
- 53 Agrawal S, Khatri P. Facial expression detection techniques: Based on Viola and Jones algorithm and principal component analysis. *Proceedings of the 5th International Conference on Advanced Computing & Communication Technologies (ACCT)*. Haryana, India. 2015. 108-112.
- 54 Fotiadou E, Zinger S, Ten WETA, *et al.* Video-based facial discomfort analysis for infants. *Proceedings of SPIE 9029, Visual Information Processing and Communication V*. San Francisco, CA, USA. 2014. 90290F.
- 55 Lucey P, Cohn JF, Matthews I, *et al.* Automatically detecting pain in video through facial action units. *IEEE*

- Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics), 2011, 41(3): 664–674. [doi: [10.1109/TSMCB.2010.2082525](https://doi.org/10.1109/TSMCB.2010.2082525)]
- 56 Zhao JF, Mao X, Zhang J. Learning deep facial expression features from image and optical flow sequences using 3D CNN. *The Visual Computer*, 2018, 34(10): 1461–1475. [doi: [10.1007/s00371-018-1477-y](https://doi.org/10.1007/s00371-018-1477-y)]
- 57 Zamzami G, Ruiz G, Goldgof D, *et al.* Pain assessment in infants: Towards spotting pain expression based on infants' facial strain. *Proceedings of the 11th IEEE International Conference and Workshops on Automatic Face and Gesture Recognition (FG)*. Ljubljana, Slovenia. 2015. 1–5.
- 58 Wei XS, Zhou ZH. An empirical study on image bag generators for multi-instance learning. *Machine Learning*, 2016, 105(2): 155–198. [doi: [10.1007/s10994-016-5560-1](https://doi.org/10.1007/s10994-016-5560-1)]
- 59 Sikka K, Dhall A, Bartlett MS. Classification and weakly supervised pain localization using multiple segment representation. *Image and Vision Computing*, 2014, 32(10): 659–670. [doi: [10.1016/j.imavis.2014.02.008](https://doi.org/10.1016/j.imavis.2014.02.008)]
- 60 Ruiz A, Rudovic O, Binefa X, *et al.* Multi-instance dynamic ordinal random fields for weakly-supervised pain intensity estimation. *Proceedings of the 13th Asian Conference on Computer Vision*. Taipei, China. 2016. 171–186.
- 61 Hammal Z, Kunz M. Pain monitoring: A dynamic and context-sensitive system. *Pattern Recognition*, 2012, 45(4): 1265–1280. [doi: [10.1016/j.patcog.2011.09.014](https://doi.org/10.1016/j.patcog.2011.09.014)]
- 62 Khan RA, Meyer A, Konik H, *et al.* Pain detection through shape and appearance features. *Proceedings of 2013 IEEE International Conference on Multimedia and Expo (ICME)*. San Jose, CA, USA. 2013. 1–6.
- 63 Roy SD, Bhowmik MK, Saha P, *et al.* An approach for automatic pain detection through facial expression. *Procedia Computer Science*, 2016, 84: 99–106. [doi: [10.1016/j.procs.2016.04.072](https://doi.org/10.1016/j.procs.2016.04.072)]
- 64 Yang RJ, Tong SJ, Bordallo M, *et al.* On pain assessment from facial videos using spatio-temporal local descriptors. *Proceedings of the 6th International Conference on Image Processing Theory, Tools and Applications (IPTA)*. Oulu, Finland. 2016. 1–6.
- 65 Werner P, Al-Hamadi A, Limbrecht-Ecklundt K, *et al.* Automatic pain assessment with facial activity descriptors. *IEEE Transactions on Affective Computing*, 2017, 8(3): 286–299. [doi: [10.1109/TAFFC.2016.2537327](https://doi.org/10.1109/TAFFC.2016.2537327)]
- 66 Bourou D, Pampouchidou A, Tsiknakis M, *et al.* Video-based pain level assessment: Feature selection and inter-subject variability modeling. *Proceedings of the 41st International Conference on Telecommunications and Signal Processing (TSP)*. Athens, Greece. 2018. 1–6.
- 67 Zhi RC, Zamzami GZD, Goldgof D, *et al.* Automatic infants' pain assessment by dynamic facial representation: Effects of profile view, gestational age, gender, and race. *Journal of Clinical Medicine*, 2018, 7(7): 173. [doi: [10.3390/jcm7070173](https://doi.org/10.3390/jcm7070173)]
- 68 Schroff F, Kalenichenko D, Philbin J. FaceNet: A unified embedding for face recognition and clustering. *Proceedings of 2015 IEEE Conference on Computer Vision and Pattern Recognition*. Boston, MA, USA. 2015. 815–823.
- 69 Parkhi OM, Vedaldi A, Zisserman A. Deep face recognition. *Proceedings of 2015 British Machine Vision Conference (BMVC)*. Swansea, UK. 2015. 6.
- 70 Zhang KP, Zhang ZP, Li ZF, *et al.* Joint face detection and alignment using multitask cascaded convolutional networks. *IEEE Signal Processing Letters*, 2016, 23(10): 1499–1503. [doi: [10.1109/LSP.2016.2603342](https://doi.org/10.1109/LSP.2016.2603342)]
- 71 Hermans A, Beyer L, Leibe B. In defense of the triplet loss for person re-identification. *arXiv: 1703.07737*, 2017.
- 72 Liu WY, Wen YD, Yu ZD, *et al.* SphereFace: Deep hypersphere embedding for face recognition. *Proceedings of 2017 IEEE Conference on Computer Vision and Pattern Recognition*. Honolulu, HI, USA. 2017. 212–220.
- 73 Yang JL, Ren PR, Zhang DQ, *et al.* Neural aggregation network for video face recognition. *Proceedings of 2017 IEEE Conference on Computer Vision and Pattern Recognition*. Honolulu, HI, USA. 2017: 4362–4371.
- 74 Huang ZW, Wang RP, Shan S, *et al.* Face recognition on large-scale video in the wild with hybrid Euclidean-and-Riemannian metric learning. *Pattern Recognition*, 2015, 48(10): 3113–3124. [doi: [10.1016/j.patcog.2015.03.011](https://doi.org/10.1016/j.patcog.2015.03.011)]
- 75 Li HX, Hua G. Hierarchical-PEP model for real-world face recognition. *Proceedings of 2015 IEEE Conference on Computer Vision and Pattern Recognition*. Boston, MA, USA. 2015. 4055–4064.
- 76 Ofodile I, Kulkarni K, Corneanu CA, *et al.* Automatic recognition of deceptive facial expressions of emotion. *arXiv: 1707.04061*, 2017.
- 77 Yu ZD, Zhang C. Image based static facial expression recognition with multiple deep network learning. *Proceedings of 2015 ACM on International Conference on Multimodal Interaction*. Seattle, WA, USA. 2015. 435–442.
- 78 Kim BK, Roh J, Dong SY, *et al.* Hierarchical committee of deep convolutional neural networks for robust facial expression recognition. *Journal on Multimodal User Interfaces*, 2016, 10(2): 173–189. [doi: [10.1007/s12193-015-0209-0](https://doi.org/10.1007/s12193-015-0209-0)]
- 79 Zhang C, Zhang ZY. Improving multiview face detection with multi-task deep convolutional neural networks. *IEEE*

- Winter Conference on Applications of Computer Vision. Steamboat Springs, CO, USA. 2014. 1036–1041.
- 80 Sun B, Xu QH, He J, *et al.* Audio-video based multimodal emotion recognition using SVMs and deep learning. Proceedings of the 7th Chinese Conference on Pattern Recognition. Chengdu, China. 2016. 621–631.
- 81 Noroozi F, Marjanovic M, Njegus A, *et al.* Audio-visual emotion recognition in video clips. IEEE Transactions on Affective Computing, 2019, 10(1): 60–75. [doi: [10.1109/TAFFC.2017.2713783](https://doi.org/10.1109/TAFFC.2017.2713783)]
- 82 Zhou J, Hong XP, Su F, *et al.* Recurrent convolutional neural network regression for continuous pain intensity estimation in video. Proceedings of 2016 IEEE Conference on Computer Vision and Pattern Recognition Workshops. Las Vegas, NV, USA. 2016. 84–92.
- 83 Wang F, Xiang X, Liu C, *et al.* Regularizing face verification nets for pain intensity regression. arXiv: 1702.06925, 2017.
- 84 Soar J, Bargshady G, Zhou XJ, *et al.* Deep learning model for detection of pain intensity from facial expression. Proceedings of the 16th International Conference on Smart Homes and Health Telematics, Designing a Better Future: Urban Assisted Living. Singapore. 2018. 249–254.
- 85 Wen YD, Zhang KP, Li ZF, *et al.* A discriminative feature learning approach for deep face recognition. Proceedings of the 14th European Conference on Computer Vision. Amsterdam, The Netherlands. 2016. 499–515.
- 86 Kharghanian R, Peiravi A, Moradi F. Pain detection from facial images using unsupervised feature learning approach. Proceedings of the 38th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC). Orlando, FL, USA. 2016. 419–422.
- 87 Martinez DL, Rudovic O, Picard R. Personalized automatic estimation of self-reported pain intensity from facial expressions. Proceedings of 2017 IEEE Conference on Computer Vision and Pattern Recognition Workshops. Honolulu, HI, USA. 2017. 70–79.
- 88 Egede J, Valstar M, Martinez B. Fusing deep learned and hand-crafted features of appearance, shape, and dynamics for automatic pain estimation. Proceedings of the 12th IEEE International Conference on Automatic Face & Gesture Recognition (FG 2017). Washington, DC, USA. 2017. 689–696.
- 89 Rodriguez P, Cucurull G, González J, *et al.* Deep pain: Exploiting long short-term memory networks for facial expression classification. IEEE Transactions on Cybernetics, 2017. [doi: [10.1109/TCYB.2017.2662199](https://doi.org/10.1109/TCYB.2017.2662199)]
- 90 Chen ZL, Ansari R, Wilkie D. Automated pain detection from facial expressions using FACS: A review. arXiv: 1811.07988, 2018.
- 91 Bartlett MS, Littlewort GC, Frank MG, *et al.* Automatic decoding of facial movements reveals deceptive pain expressions. Current Biology, 2014, 24(7): 738–743. [doi: [10.1016/j.cub.2014.02.009](https://doi.org/10.1016/j.cub.2014.02.009)]
- 92 Olugbade TA, Bianchi-Berthouze N, Marquardt N, *et al.* Pain level recognition using kinematics and muscle activity for physical rehabilitation in chronic pain. Proceedings of 2015 International Conference on Affective Computing and Intelligent Interaction (ACII). Xi'an, China. 2015. 243–249.
- 93 Wang CY, Olugbade TA, Mathur A, *et al.* Automatic detection of protective behavior in chronic pain physical rehabilitation: A recurrent neural network approach. arXiv: 1902.08990, 2019.
- 94 Stahl A, Schellewald C, Stavadahl Ø, *et al.* An optical flow-based method to predict infantile cerebral palsy. IEEE Transactions on Neural Systems and Rehabilitation Engineering, 2012, 20(4): 605–614. [doi: [10.1109/TNSRE.2012.2195030](https://doi.org/10.1109/TNSRE.2012.2195030)]
- 95 Thiam P, Kessler V, Amirian M, *et al.* Multi-modal pain intensity recognition based on the SenseEmotion database. IEEE Transactions on Affective Computing, 2019. [doi: [10.1109/TAFFC.2019.2892090](https://doi.org/10.1109/TAFFC.2019.2892090)]
- 96 Abdulaziz Y, Ahmad SMS. Infant cry recognition system: A comparison of system performance based on mel frequency and linear prediction cepstral coefficients. Proceedings of 2010 International Conference on Information Retrieval & Knowledge Management (CAMP). Shah Alam, Selangor, Malaysia. 2010. 260–263.
- 97 Franck LS, Ridout D, Howard R, *et al.* A comparison of pain measures in newborn infants after cardiac surgery. Pain, 2011, 152(8): 1758–1765. [doi: [10.1016/j.pain.2011.03.017](https://doi.org/10.1016/j.pain.2011.03.017)]
- 98 Werner P, Al-Hamadi A, Walter S, *et al.* Automatic heart rate estimation from painful faces. Proceedings of 2014 IEEE International Conference on Image Processing (ICIP 2014). Paris, France. 2014. 1947–1951.
- 99 Werner P, Al-Hamadi A, Niese R, *et al.* Automatic pain recognition from video and biomedical signals. Proceedings of the 22nd International Conference on Pattern Recognition. Stockholm, Sweden. 2014. 4582–4587.
- 100 Walter S, Gruss S, Limbrecht-Ecklundt K, *et al.* Automatic pain quantification using autonomic parameters. Psychology & Neuroscience, 2014, 7(3): 363–380.
- 101 Kächele M, Amirian M, Thiam P, *et al.* Adaptive confidence learning for the personalization of pain intensity estimation systems. Evolving Systems, 2017, 8(1): 71–83.

- [doi: [10.1007/s12530-016-9158-4](https://doi.org/10.1007/s12530-016-9158-4)]
- 102 Panavaranan P, Wongsawat Y. EEG-based pain estimation via fuzzy logic and polynomial kernel support vector machine. The 6th 2013 Biomedical Engineering International Conference. Amphur Muang, Thailand. 2013. 13974380. [doi: [10.1109/BMEiCon.2013.6687668](https://doi.org/10.1109/BMEiCon.2013.6687668)]
- 103 Faye PM, De Jonckheere J, Logier R, *et al.* Newborn infant pain assessment using heart rate variability analysis. The Clinical Journal of Pain, 2010, 26(9): 777–782. [doi: [10.1097/AJP.0b013e3181ed1058](https://doi.org/10.1097/AJP.0b013e3181ed1058)]
- 104 Ranger M, Johnston CC, Rennick JE, *et al.* A multidimensional approach to pain assessment in critically ill infants during a painful procedure. The Clinical Journal of Pain, 2013, 29(7): 613–620. [doi: [10.1097/AJP.0b013e31826dfb13](https://doi.org/10.1097/AJP.0b013e31826dfb13)]
- 105 Wideman TH, Edwards RR, Walton DM, *et al.* The multimodal assessment model of pain: A novel framework for further integrating the subjective pain experience within research and practice. The Clinical Journal of Pain, 2019, 35(3): 212–221. [doi: [10.1097/AJP.0000000000000670](https://doi.org/10.1097/AJP.0000000000000670)]
- 106 Wagner J, Andre E, Lingensfelder F, *et al.* Exploring fusion methods for multimodal emotion recognition with missing data. IEEE Transactions on Affective Computing, 2011, 2(4): 206–218. [doi: [10.1109/T-AFFC.2011.12](https://doi.org/10.1109/T-AFFC.2011.12)]
- 107 Kächele M, Werner P, Al-Hamadi A, *et al.* Bio-visual fusion for person-independent recognition of pain intensity. Proceedings of the 12th International Workshop on Multiple Classifier Systems. Günzburg, Germany. 2015. 220–230.
- 108 Worley A, Fabrizi L, Boyd S, *et al.* Multi-modal pain measurements in infants. Journal of Neuroscience Methods, 2012, 205(2): 252–257. [doi: [10.1016/j.jneumeth.2012.01.009](https://doi.org/10.1016/j.jneumeth.2012.01.009)]
- 109 Velana M, Gruss S, Layher G, *et al.* The senseEmotion database: A multimodal database for the development and systematic validation of an automatic pain-and emotion-recognition system. Proceedings of the 4th IAPR TC 9 Workshop on Multimodal Pattern Recognition of Social Signals in Human-Computer-Interaction. Cancun, Mexico. 2016. 127–139.
- 110 Singh SK, Tiwari S, Abidi AI, *et al.* Prediction of pain intensity using multimedia data. Multimedia Tools and Applications, 2017, 76(18): 19317–19342. [doi: [10.1007/s11042-017-4718-6](https://doi.org/10.1007/s11042-017-4718-6)]
- 111 Rathee N, Ganotra D. A novel approach for pain intensity detection based on facial feature deformations. Journal of Visual Communication and Image Representation, 2015, 33: 247–254. [doi: [10.1016/j.jvcir.2015.09.007](https://doi.org/10.1016/j.jvcir.2015.09.007)]
- 112 Adibuzzaman M, Ostberg C, Ahamed S, *et al.* Assessment of pain using facial pictures taken with a smartphone. Proceedings of the IEEE 39th Annual Computer Software and Applications Conference. Taichung, China. 2015. 726–731.
- 113 Florea C, Florea L, Vertan C. Learning pain from emotion: Transferred hot data representation for pain intensity estimation. European Conference on Computer Vision. Zurich, Switzerland. 2014. 778–790.
- 114 Shah JH, Sharif M, Yasmin M, *et al.* Facial expressions classification and false label reduction using LDA and threefold SVM. Pattern Recognition Letters, 2017. [doi: [10.1016/j.patrec.2017.06.021](https://doi.org/10.1016/j.patrec.2017.06.021)]
- 115 Werner P, Al-Hamadi A, Niese R. Pain recognition and intensity rating based on comparative learning. Proceedings of the 19th IEEE International Conference on Image Processing. Orlando, FL, USA. 2012. 2313–2316.
- 116 Iandola FN, Han S, Moskewicz MW, *et al.* SqueezeNet: AlexNet-level accuracy with 50x fewer parameters and <0.5 MB model size. arXiv: 1602.07360, 2016.
- 117 Howard AG, Zhu ML, Chen B, *et al.* Mobilenets: Efficient convolutional neural networks for mobile vision applications. arXiv: 1704.04861, 2017.
- 118 Sandler M, Howard A, Zhu MH, *et al.* Mobilenetv2: Inverted residuals and linear bottlenecks. Proceedings of 2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition. Salt Lake City, UT, USA. 2018. 4510–4520.
- 119 Zhang XY, Zhou XY, Lin MX, *et al.* Shufflenet: An extremely efficient convolutional neural network for mobile devices. Proceedings of 2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition. Salt Lake City, UT, USA. 2018. 6848–6856.
- 120 Ma NN, Zhang XY, Zheng HT, *et al.* ShuffleNet v2: Practical guidelines for efficient CNN architecture design. Proceedings of the 15th European Conference on Computer Vision (ECCV). Munich, Germany. 2018. 116–131.
- 121 Chollet F. Xception: Deep learning with depthwise separable convolutions. Proceedings of 2017 IEEE Conference on Computer Vision and Pattern Recognition. Honolulu, HI, USA. 2017. 1251–1258.
- 122 Zhang T, Qi GJ, Xiao B, *et al.* Interleaved group convolutions. Proceedings of 2017 IEEE International Conference on Computer Vision. Venice, Italy. 2017. 4373–4382.
- 123 Sun K, Li MJ, Liu D, *et al.* Igcv3: Interleaved low-rank group convolutions for efficient deep neural networks. arXiv: 1806.00178, 2018.